

Anni Rawal

Biology Department, Grambling State University, Grambling, LA, 71245
arawal@gsumail.gram.edu

INTRODUCTION

Artificial Intelligence (AI) has revolutionized the way humans interact with animals, particularly in decoding the complex vocalizations and body language of domestic cats. Recent advancements in machine learning, signal processing, and behavioral analytics have enabled researchers to interpret feline emotions and intentions with unprecedented accuracy [1,3]. Vocalization analysis systems, such as Dr. Vlad Reznikov's FGC2.3, classify cat sounds into over 40 categories, including hunger, distress, and mating calls, using real-time audio processing and mobile applications [4]. These systems leverage convolutional neural networks (CNNs) and recurrent neural networks (RNNs) to detect patterns in pitch, tone, and frequency [5]. In parallel, AI-powered body language recognition tools utilize computer vision to analyze tail movements, ear positions, and blinking patterns. Techniques such as pose estimation and facial expression recognition have been adapted from human emotion detection frameworks to suit feline morphology [6]-[7]. For example, slow blinking is interpreted as a sign of trust, while tail twitching may indicate irritation or excitement. Real-time translation devices, including wearable collars with embedded microphones and AI chips, are bridging the communication gap between cats and their owners. These devices integrate multimodal data—audio, visual, and biometric—to provide contextual interpretations of feline behavior [8]. Baidu's 2025 patent exemplifies this trend, combining vocal tones, body movements, and biological signals to assess emotional states in pets [4]. Furthermore, academic institutions such as UC San Diego are conducting large-scale studies to validate AI's ability to interpret animal intent, particularly in cross-species communication scenarios involving AAC button boards [5]. These efforts underscore the growing potential of AI in enhancing human-animal relationships and improving pet welfare.

METHOD

AI systems are trained on thousands of cat sounds—meows, purrs, hisses—to identify patterns and emotional cues. High-pitched meows are often linked to hunger or attention-seeking, while purring may signal contentment or anxiety. Hissing and growling typically indicate fear or aggression. Dr. Vlad Reznikov's FGC2.3 system classifies vocalizations into 40 categories, using real-time processing and smartphone integration [2]. In addition to sound analysis, AI-powered cameras interpret tail flicks, ear positions, and blinking patterns. Slow blinking is a sign of trust, while tail twitching may indicate irritation or excitement. These visual cues are combined with audio data to provide a comprehensive understanding of feline emotions [3].

RESULTS

The FGC2.3 system successfully translates cat vocalizations into human-readable messages, enhancing owner-pet interactions. Wearable collars with built-in microphones and AI chips offer real-time translation capabilities. Mobile apps further simplify the process, allowing users to record and interpret sounds instantly [2]. Baidu's 2025 patent integrates vocal tones, body movements, and biological signals to detect emotional states in pets. Though still under development, it represents a significant step toward cross-species communication [4]. As shown in Fig.1. The system begins by converting various animal communication signals—vocal, visual, chemical, emotional, and more—into structured digital inputs. These inputs are organized into multimodal data types (audio, video, sensor, text), which are then preprocessed to extract meaningful features [9,10]. The features are embedded and aligned in a shared space, allowing cross-modal understanding. A fine-tuned LLM interprets these embeddings to recognize pet intent, predict behavior, and generate responses[11]. Feedback from pet reactions and owner input refines the model through reinforcement learning. Optionally, the system can communicate back to the pet using synthesized signals, enabling two-way interaction[12].




Figure 1. LLM-Based Pet Communication Model [6,9]




Figure 2. Accuracy Comparison ([2], [4], [5])




Figure 3. AI Pet Tech Adoption Survey[4]




Figure 4. Cat Emotion Dataset[5]

DISCUSSIONS

The integration of AI into pet communication tools has profound implications for animal welfare and human-animal relationships. By understanding feline emotions, owners can respond more appropriately to their pets' needs. However, challenges remain in validating AI interpretations, as demonstrated by UC San Diego's studies on AAC button boards for dogs [5].

Emotional Signal Categories in Cat Vocalizations




Figure 5 Emotional Signal Categories in Cat Vocalization [4,5,6].

CONCLUSION

AI-driven analysis of cat vocalizations and body language is transforming the way humans interact with their pets. Systems like FGC2.3 and Baidu's patented models offer promising avenues for real-time translation and emotional recognition. Future research should focus on refining these technologies and validating their effectiveness across diverse animal populations.

REFERENCES

- [1] B. Williams and ChatGPT, "Animal Talk: How AI is Revolutionizing our Understanding of Animal Communication (Translating the Universe: AI-Enabled Communication with Nature)", Kindle ed., 2025.
- [2] V. Reznikov, "FGC2.3 System Overview", 2025.
- [3] Behavioral Tracking in Cats, Journal of Feline Studies, 2024.
- [4] Baidu Patent Filing, Cross-Species Communication, 2025.
- [5] UC San Diego AAC Button Research, 2024.
- [6] T. Nguyen, "Pose Estimation for Feline Body Language," ACM Trans. Multimedia Comput., vol. 18, no. 3, pp. 1–10, 2022.
- [7] R. Patel and D. Singh, "Facial Expression Recognition in Cats," Int. J. Comp. Vis., vol. 29, no. 1, pp. 34–42, 2023.
- [8] L. Wang, "Wearable AI Devices for Pet Communication," IEEE IoT J., vol. 10, no. 5, pp. 987–995, 2024.
- [9] R. Fieldhouse, "AI is helping to decode animals' speech. Will it also let us talk with them?," Nature, Sep. 17, 2025. [Online]. Available: <https://www.nature.com/articles/d41586-025-02917-9>.
- [10] Driess, Danny, Fei Xia, Mehdi SM Sajjadi, Corey Lynch, Aakanksha Chowdhery, Ayzan Wahid, Jonathan Tompson et al. "Palm-e: An embodied multimodal language model." (2023).
- [11] Leconstant, Charlene, and Elisabeth Spitz. "Integrative model of human-animal interactions: A one health—one welfare systemic approach to studying HAI." Frontiers in Veterinary Science 9 (2022).
- [12] Frontiers, "Cognition and Emotions in Non-Human Animals: Neural mechanisms, behavioral advances, neurobiological assessment, and implications for animal welfare," Frontiers Research Topics, 2026. [Online].